

目录

CATALOG

01 一体化太阳能路灯 Integrated solar street light

17 分体光伏管 Split solar street light

18 分体太阳能路灯 Split solar street light

21 市电路灯 Modular LED street light

24 太阳能花园灯 Solar garden light

30 太阳能壁灯, 射灯 Solar wall lights, spotlights

31 太阳能灭蚊灯 Solar bug zapper

32 太阳能户外投射灯 Solar outdoor projection light

33 太阳能洗墙灯 Solar wall washer

34 太阳能庭院灯 Solar yard light

39 太阳能地埋灯 Buried solar stud lamp

41 太阳能灯带 Solar strip light

43 太阳能投光灯 Solar powered floodlight

44 市电投光灯 Modular LED flood light


47 LED 油站灯 LED canopy light


49 UFO LED工矿灯 UFO LED high bay light

50 集鱼灯 Fish-collecting lamp

51 便携式充电灯 Portable rechargeable light

52 太阳能移动电源 Integrated solar generator






LY-A

LY-B

LY-C

型号\Model	LY-A	LY-B	LY-C
尺寸\Size	L635*W205*H50MM	L920*W205*H50MM	L1200*W205*H50MM
光源\Light source	SMD 5050 42pcs	SMD 5050 70pcs	SMD 5050 98pcs
锂电池\Battery	3.2V/30AH	3.2V/45AH	3.2V/60AH
光伏板\Solar panel	5V/25W	5V/35W	5V/45W
安装高度\Installation height	4-5m	5-6m	6-7m



LY30-A




LY30-B



LY30-C








型号\Model	LY30-A	LY30-B	LY30-C
尺寸\Size	L635*W205*H125MM	L920*W205*H125MM	L1200*W205*H125MM
光源\Light source	SMD 3030 60pcs	SMD 3030 90pcs	SMD 3030 120pcs
锂电池\Battery	3.2V/30AH	3.2V/45AH	3.2V/60AH
光伏板\Solar panel	5V/25W	5V/35W	5V/45W
安装高度\Installation height	4-5m	5-6m	6-7m



CF2040

型号\Model	CF2040
尺寸\Size	L490*W200*H60MM
光源\Light source	SMD 3030 28pcs
锂电池\Battery	3.2V/15AH
光伏板\Solar panel	5V/15W
安装高度\Installation height	3-5m






T13


T12

型号\Model	T12	T13
尺寸\Size	L670*W320*H50MM	L840*W370*H50MM
光源\Light source	SMD 3030 56pcs	SMD 3030 144pcs
锂电池\Battery	3.2V/30AH	3.2V/60AH
光伏板\Solar panel	5V/30W	5V/45W
安装高度\Installation height	4-5m	5-6m







一体化太阳能路灯
Integrated solar street light




DB-820

型号\Model	DB-820
尺寸\Size	L820*W400*H190MM
光源\Light source	SMD 3030 48pcs
锂电池\Battery	3.2V/45AH
光伏板\Solar panel	5V/35W
安装高度\Installation height	4-7m



Height	Center lx	Diameter
1.m	466.89 lx	898.43cm
2.m	116.72 lx	1796.86cm
3.m	51.88 lx	2695.29cm
5.m	18.68 lx	4492.15cm
8.m	7.30 lx	7187.44cm
12.m	3.24 lx	10781.16cm
16.m	1.82 lx	14374.88cm



T22

T23

T24


型号\Model	T22	T23	T24
尺寸\Size	L560*W365*H160MM	L725*W365*H160MM	L930*W365*H160MM
光源\Light source	SMD 3030 96pcs	SMD 3030 144pcs	SMD 3030 192pcs
锂电池\Battery	3.2V 45AH/12.8V 15AH	3.2V 60AH/12.8V 18AH	3.2V 75AH/12.8V 24AH
光伏板\Solar panel	5V 50W/18V 50W	5V 60W/18V 60W	5V 80W/18V 80W
安装高度\Installation height	5-6m	6-7m	7-8m



型号\Model	TR248-A	TR248-B	TR248-C
尺寸\Size	L760*W250*H125MM	L1080*W250*H125MM	L1390*W250*H125MM
光源\Light source	SMD 3030 72pcs	SMD 3030 108pcs	SMD 3030 144pcs
锂电池\Battery	3.2V/45AH	3.2V/60AH	3.2V/75AH
光伏板\Solar panel	5V/30W	5V/45W	5V/60W
安装高度\Installation height	4-5m	5-6m	6-7m



一体化太阳能路灯
Integrated solar street light



TR300-A



TR300-B




TR300-C



型号\Model	TR300-A	TR300-B	TR300-C
尺寸\Size	L755 *W300*H125MM	L885*W300*H125MM	L1135*W300*H125MM
光源\Light source	SMD 3030 96pcs	SMD 3030 144pcs	SMD 3030 192pcs
锂电池\Battery	3.2V/45AH	3.2V/60AH	3.2V/75AH
光伏板\Solar panel	5V/40W	5V/50W	5V/60W
安装高度\Installation height	5-6m	5-7m	6-8m



一体化太阳能路灯
Integrated solar street light




TR300-A

TR300-B

TR300-C



型号\Model	TR300-A	TR300-B	TR300-C
尺寸\Size	L755 *W300*H125MM	L885*W300*H125MM	L1135*W300*H125MM
光源\Light source	SMD 3030 96pcs	SMD 3030 144pcs	SMD 3030 192pcs
锂电池\Battery	3.2V/45AH	3.2V/60AH	3.2V/75AH
光伏板\Solar panel	5V/40W	5V/50W	5V/60W
安装高度\Installation height	5-6m	5-7m	6-8m




TR348-A

TR348-B

TR348-C


型号\Model	TR348-A	TR348-B	TR348-C
尺寸\Size	L760*W355*H125MM	L960*W355*H125MM	L1310*W355*H125MM
光源\Light source	SMD 3030 144pcs	SMD 3030 144pcs	SMD 3030 192pcs
锂电池\Battery	3.2V 60AH/12.8V 18AH	3.2V 90AH/12.8V 24AH	3.2V 120AH/12.8V 30AH
光伏板\Solar panel	5V 40W/18V 40W	5V 60W/18V 60W	5V 80W/18V 80W
安装高度\Installation height	6-7m	7-8m	8-9m



TR408A

TR408-B


TR408-C



型号\Model	TR408-A	TR408-B	TR408-C
尺寸\Size	L1135*W408*H125MM	L1510*W408*H125MM	L1885*W408*H125MM
光源\Light source	SMD 5050 96pcs	SMD 5050 120pcs	SMD 5050 120pcs
锂电池\Battery	12.8/30AH	12.8V/45AH	25.6V/30AH
光伏板\Solar panel	15V/80W	15V120W	36V/150W
安装高度\Installation height	8-10m	10-12m	10-12m



一体化太阳能路灯
Integrated solar street light



TK300-A




TK300-B



TK300-C



型号\Model	TK300-A	TK300-B	TK300-C
尺寸\Size	L755*W305*H125MM	L885*W305*H125MM	L1135*W305*H125MM
光源\Light source	SMD 3030 96pcs	SMD 3030 144pcs	SMD 3030 192pcs
锂电池\Battery	3.2V 60AH/12.8V 18AH	3.2V 75AH/12.8V 24AH	3.2V 90AH/12.8V 30AH
光伏板\Solar panel	5V 40W/18V 40W	5V 50W/18V 50W	5V 60W/18V 60W
安装高度\Installation height	5-6m	5-7m	6-8m



TK348-A


TK348-B

TK348-C

型号\Model	TK348-A	TK348-B	TK348-C
尺寸\Size	L760*W353*H125MM	L960*W353*H125MM	L1310*W353*H125MM
光源\Light source	SMD 3030 96pcs	SMD 3030 144pcs	SMD 3030 192pcs
锂电池\Battery	3.2V 75AH/12.8V 18AH	3.2V 90AH/12.8V 24AH	3.2V 120AH/12.8V 30AH
光伏板\Solar panel	5V 50W/18V 50W	5V 60W/18V 60W	5V 80W/18V 80W
安装高度\Installation height	6-7m	7-8m	8-9m



一体化太阳能路灯
Integrated solar street light




TK408-A

TK408-B

TK408-C

型号\Model	TK408-A	TK408-B	TK408-C
尺寸\Size	L1135*W408*H125MM	L1510*W408*H125MM	L1885*W408*H125MM
光源\Light source	SMD 3030 60pcs	SMD 3030 90pcs	SMD 3030 120pcs
锂电池\Battery	12.8V/30AH	12.8V/45AH	25.6V/30AH
光伏板\Solar panel	15V/80W	15V/120W	36V/150W
安装高度\Installation height	8-10m	10-12m	10-12m




TL35125

TL41145



型号\Model	TL35125	TL41145
尺寸\Size	L1250*W350*H150MM	L1450*W410*H170MM
光源\Light source	SMD 3030 240pcs	SMD 3030 288pcs
锂电池\Battery	3.2V/80AH (12.8V/30AH)	3.2V/120AH (12.8V/45AH)
光伏板\Solar panel	5V/80W (15V/80W)	6V/110W (15V/110W)
安装高度\Installation height	8-10m	10-12m



ZR-A


ZR-B

ZR-C

型号\Model	ZR-A	ZR-B	ZR-C
尺寸\Size	L1550*W600*H90MM	L2100*W600*H90MM	L2470*W600*H90MM
光源\Light source	SMD 5050 120pcs	SMD 5050 180pcs	SMD 5050 240pcs
锂电池\Battery	25.6V/30AH	25.6V/45AH	25.6V/60AH
光伏板\Solar panel	30V/150W	30V/200W	30V/250W
安装高度\Installation height	8-10m	10-12m	12-14m




光伏管-分体太阳能路灯
Photovoltaic tube
Split solar street light



TSP

型号\Model	TSP-3	TSP-4	TSP-5
尺寸\Size	L1000*W171*H171MM	L1000*W171*H171MM	L1000*W171*H171MM
功率\Power	100W*3	100W*4	100W*5
电缆线\Cable line	3m	3m	3m
光伏管\Solar panel	15V/100W*3	15V/100W*4	15V/100W*5
安装口径\Installation Diameter	145mm	145mm	145mm




ML5T-2

ML5T-3

ML5T-4

型号\Model	ML5T-2	ML5T-3	ML5T-4
尺寸\Size	L450*W285*H90MM	L540*W285*H90MM	L625*W285*H90MM
光源\Light source	SMD 3030 96pcs	SMD 3030 144pcs	SMD 3030 192pcs
锂电池\Battery	3.2V/90AH	3.2V/120AH	3.2V/150AH
光伏板\Solar panel	18V/80W	18V/100W	36V/120W
安装高度\Installation height	7-8m	8-9m	9-10m




MTR-3



MTR-4




型号\Model	MTR -3	MTR -4
尺寸\Size	L513*W302*H50MM	L765*W666*H50MM
光源\Light source	SMD 5050 72pcs	SMD 5050 96pcs
锂电池\Battery	25.6V/45AH	25.6V/60AH
光伏板\Solar panel	18V/150W	36V/200W
安装高度\Installation height	8-10m	10-15m









分体太阳能路灯
Split solar street light



BY-3A

型号\Model	BY-3A
尺寸\Size	L700*W302*H90MM
光源\Light source	SMD 5050 72pcs
锂电池\Battery	3.2V 150AH/3.2V 300AH
光伏板\Solar panel	18V 150W/36V 200W
安装高度\Installation height	8-15m





ML5-2




ML5-3



ML5-4



型号\Model	ML5-2	ML5-3	ML5-4
尺寸\Size	L350*W280*H125MM	L435*W280*H125MM	L520*W280*H125MM
光源\Light source	SMD 3030 96pcs	SMD 3030 144pcs	SMD 3030 192pcs
输入电压\Input voltage	AC 85-305V	AC 85-305V	AC 85-305V
安装高度\Installation height	6-8m	8-10m	12-15m





ML7-2

ML7-3



型号\Model	ML7-2	ML7-3
尺寸\Size	L575*W245*H80MM	L675*W300*H80MM
光源\Light source	SMD 5050 60pcs	SMD 5050 120pcs
输入电压\Input voltage	AC 85-305V	AC 85-305V
安装高度\Installation height	8-10m	10-15m





ML6



ML6B-2~4





型号\Model	ML6	ML6B-2(3/4)
尺寸\Size	L510*W280*H110MM	L320*W280*H50MM(L410*W285*H80MM/L540*W285*H80MM)
光源\Light source	SMD 3030 192pcs	SMD 3030 120pcs(180pcs/240pcs)
输入电压\Input voltage	AC 85-305V	AC 85-305V
安装高度\Installation height	10-15m	6-15m



SG-1



SG-2




型 号\Model	SG-1	SG-2
尺寸(柱头)\Size(Pillar lamp)	L195*W195*H175MM	Φ205*H175MM
常规高度\Normal height	H440/570/800MM	H440/570/800MM
锂电池\Battery	3.7V/4400mAH	3.7V/4400mAH
光伏板\Solar panel	5V/8W	5V/8W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K、4000K & 6000K	



SG-3



SG-4




型 号\Model	SG-3	SG-4
尺寸(柱头)\Size(Pillar lamp)	L185*W185*H165MM	Φ230*135MM
常规高度\Normal height	H480/610/840MM	H415/545/775MM
锂 电 池\Battery	3.7V/4400mAH	3.7V/4400mAH
光 伏 板\Solar panel	5V/8W	5V/8W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K、4000K & 6000K	




SG-5



SG-6



型 号\Model	SG-5	SG-6
尺 寸\Size	L190*W265*H390MM	L120*W120*H340MM
常规高度\Normal height	H390/620/850MM	H340/600/800MM
锂 电 池\Battery	3.7V/4400mAH	3.7V/4400mAH
光 伏 板\Solar panel	5V/8W	5V/5W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K、4000K & 6000K	





型 号\Model	SG-7	SG-8
尺寸(柱头)\Size(Pillar lamp)	L205*W205*H200MM	$\Phi 250$ *H205MM
常规高度\Normal height	H425/655/885MM	H430/660/890MM
锂电池\Battery	3.7V/4400mAH	3.7V/4400mAH
光伏板\Solar panel	5V/8W	5V/8W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K、4000K & 6000K	




SG-9



SG-10



型 号\Model	SG-9	SG-10
尺寸(柱头)\Size(Pillar lamp)	L185*W185*H165MM	Φ230*180MM
常规高度\Normal height	H390/620/850MM	H405/635/865MM
锂电池\Battery	3.7V/4400mAH	3.7V/4400mAH
光伏板\Solar panel	5V/8W	5V/8W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K、4000K & 6000K	



型号\Model	SG-12
尺寸(柱头)\Size(Pillar lamp)	Φ230*185MM
常规高度\Normal height	H410/640/870MM
锂电池\Battery	3.7V/4400mAH
光伏板\Solar panel	5V/8W
防水等级\Waterproof	IP65
色温\Color temperature	3000K、4000K & 6000K

3000K



4000K



6000K







TX-07壁灯



TX-07射灯




壁灯(双光源)
 Wall lamp
 (Double light source)




射灯(底座款)
 Spotlights
 (Base type)



型号\Model	TX-07壁灯	TX-07射灯
尺寸(柱头)\Size(Pillar lamp)	L230*W170*H110MM	L280*W220*H195MM
光源\Light source	SMD 3030 150LM/W	SMD 3030 150LM/W
锂电池\Battery	3.2V/6AH	3.2V/12AH
光伏板\Solar panel	5V/5W*3	5V/5W*3
防水等级\Waterproof	IP65	IP65
定制可选\Optional	单光源/双光源 Single and double LED source optional	地插/底座 Installation: Spike and base optional
色温\Color temperature	3000K/4000K/6000K	



DT-SMK



型号\Model	DT-SMK
尺寸(柱头)\Size(Pillar lamp)	Φ230*170MM
常规高度\Normal height	H426/662/887MM
锂电池\Battery	3.7V/4400mAH
光伏板\Solar panel	5V/8W
防水等级\Waterproof	IP65
色温\Color temperature	白光、紫光可切换/White & purple switchable

灭蚊模式
Mosquito
killing mode



照明模式
Lighting mode







TX-36



TX-48



4000K



金属开关
Metal switch




型号\Model	TX-36	TX-48
尺寸\Size	L450*W390*H130MM	L630*W390*H130MM
光源\Light source	SMD 5050 36pcs	SMD 5050 48pcs
锂电池\Battery	3.2V/30AH	3.2V/50AH
光伏板\Solar panel	5V/30W	5V/50W
防水等级\Waterproof	IP65	IP65
色温\Color temperature	3000K/4000K/6000K	



TX-060



TX-120



可调节灯体
Adjustable lamp body



金属开关和雷达感应头
Metal switch and
Radar sensor head




型号\Model	TX-060	TX-120
尺寸\Size	L590*W200*H50MM	L1155*W200*H50MM
光源\Light source	SMD 3030 18pcs	SMD 3030 36pcs
锂电池\Battery	3.2V/30AH	3.2V/50AH
光伏板\Solar panel	5V/25W	5V/40W
防水等级\Waterproof	IP65	IP65
色温\Color temperature	3000K/4000K/6000K	



SG-Y395



SG-Y540




型 号\Model	SG-Y395	SG-540
尺 寸\Size	L395*W395*H340MM	Φ540*H340MM
光 源\Light source	SMD 3535 150LM/W	SMD 3535 150LM/W
锂 电 池\Battery	3.2V/30AH	3.2V/45AH
光 伏 板\Solar panel	5V/30W	5V/30W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K/4000K/6000K	



SG-Y505



SG-485




型 号\Model	SG-Y505	SG-485
尺 寸\Size	Φ505*H340MM	Φ485*H125MM
光 源\Light source	SMD 3535 150LM/W	SMD 3535 150LM/W
锂 电 池\Battery	3.2V/30AH	3.2V/45AH
光 伏 板\Solar panel	5V/30W	5V/30W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K/4000K/6000K	



SG-PS400



SG-PR540




型 号\Model	SG-PS400	SG-PR540
尺寸(柱头)\Size(Pillar lamp)	L400*W400*H335MM	Φ545*H330MM
光 源\Light source	SMD 3535 150lm/W	SMD 3535 150lm/W
锂 电 池\Battery	3.2V/30AH	3.2V/30AH
光 伏 板\Solar Panel	5V/30W	5V/30W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K/4000K/6000K	



SG-R6



SG-670



型号\Model	SG-R6	SG-670
尺寸\Size	Φ605*H170MM	Φ670* H55MM
光源\Light source	SMD 3535 150LM/W	SMD 3535 150LM/W
锂电池\Battery	3.2V/60AH	3.2V/100AH
光伏板\Solar panel	5V/50W	5V/50W
防水等级\Waterproof	IP65	IP65
色温\Color temperature	3000K/4000K/6000K	




LS-500



LS-600



LS-720




型号\Model	LS-500	LS- 600	LS-720
尺寸\Size	$\Phi 500 * H170\text{MM}$	$\Phi 600 * H170\text{MM}$	$\Phi 720 * H180\text{MM}$
光源\Light source	SMD 5050 180LM/W	SMD 5050 180LM/W	SMD 5050 180LM/W
锂电池\Battery	3.2V/30AH	3.2V/45AH	3.2V/60AH
光伏板\Solar panel	5V/30W	5V/45W	5V/60W
防水等级\Waterproof	IP65	IP65	IP65
色温\Color temperature	3000K/4000K/6000K	3000K/4000K/6000K	3000K/4000K/6000K




DM-125

DM-170

DM-210





型 号\Model	DM-125	DM-170	DM-210
尺 寸\Size	Φ125*30MM	Φ170*70MM	Φ210*70MM
光 源\Light source	SMD 3030 150LM/W	SMD 3030 150LM/W	SMD 3030 150LM/W
锂 电 池\Battery	3.7V/2.2AH	3.7V/4.4AH	3.7V/4.4AH
光 伏 板\Solar panel	4.5V/3W	4.5V/5W	4.5V/8W
防水等级\Waterproof	IP68	IP68	IP68
色 温\Color temperature	3000K/4000K/6000K		



DZ-0408

DZ-0808




型号\Model	DZ-0408	DZ-0808
尺寸\Size	L200*W100*H50MM	L200*W200*H50MM
光源\Light source	SMD 3030 36pcs	SMD 3030 42pcs
锂电池\Battery	3.7V/2.2AH	3.7V/4.4AH
光伏板\Solar panel	5V/3W	5V/5W
防水等级\Waterproof	IP68	IP68
色温 Color temperature	3000K/4000K/6000K	



LS1-360

LS2-360

LS1-180



180款



360款




型 号\Model	LS1-360	LS2-360	LS1-180
包装尺寸\Package size	L775*W232*H405MM(5个装)	L770*W385*H470MM(5个装)	L387*W217*H150MM
灯带长度\Length of lamp strip	10m/20m	30m/40m	10m/20m
锂电池\Battery	3.2V/12AH	3.2V/30AH	3.2V/12AH
光伏板\Solar panel	5V/12W	5V/25W	5V/12W
防水等级\Waterproof	IP65	IP65	IP65
色 温\Color temperature	3000K/4000K/6000K/RGB		






ls1-10



ls1-20



型 号\Model	LS1-10	LS1-20
包装尺寸\Package size	L387*W217*H150MM	L387*W217*H150MM
灯带长度\Length of lamp strip	10m/10个光源(10 pcs LED bulb)	20m/20个光源(10 pcs LED bulb)
锂电池\Battery	3.2V/15AH	3.2V/15AH
光伏板\Solar panel	5V/12W	5V/12W
防水等级\Waterproof	IP65	IP65
色 温\Color temperature	3000K/4000K/6000K/RGB	



采用铝材材质，快速散热，延长使用寿命

Aluminum material, fast cooling, extended service life




BW-A

BW-B


BW-C



型号\Model	BW-A	BW-B	BW-C
尺寸\Size	L295*W210*H70MM	L349*W249*H70MM	L405*W290*H70MM
光源\Light source	SMD3030 24pcs 120lm/W	SMD3030 30pcs 120lm/W	SMD3030 48pcs 120lm/W
锂电池\Battery	3.2V/45AH	3.2V/60AH	3.2V/75AH
光伏板\Solar panel	5V/45W	5V/50W	5V/60W
防水等级\Waterproof	IP65	IP65	IP65
色温\Color temperature	3000K/4000K/6000K		




COB Transparent glass COB Frosted glass



SMD Transparent glass SMD Frosted glass


M23



功率/Power	规格说明/Specifications	光源/LED Qty(pcs)	尺寸/Size(MM)
50W	材料: 铝+PC 电压: AC85~305V LED芯片: SMD3030 发光效率: ≥130lm/W 浪涌保护: 6000V CCT: 3000-6500K 防水等级: IP65 PF≥0.95 CRI≥0.7 Material: Aluminum+PC Voltage: AC85~305V LED Chips: SMD3030 Luminous efficiency: ≥130lm/W Surge Protection: 6000V CCT: 3000-6500K IP Grade: IP65 PF≥0.95 CRI≥0.7	60	85*300*130
100W		120	180*300*130
150W		180	270*300*130
200W		240	370*300*130
250W		300	455*300*130
300W		360	270*570*130
400W		480	370*570*130
500W		600	570*570*130
800W		960	740*570*130
1000W		1200	1140*570*130



M2



功率/Power	规格说明/Specifications	光源/LED Qty(pcs)	尺寸/Size(MM)
50W	材料: 铝+PC 电压: AC85~305V LED芯片: SMD3030 发光效率: 120~130lm/W 浪涌保护: 6000V CCT: 3000-6500K 防水等级: IP65 PF≥0.95 CRI≥0.7 Material :Aluminum+PC Voltage :AC85~305V LED Chips :SMD3030 Luminous efficiency:120~130lm/W Surge Protection:6000V CCT :3000-6500K IP Grade :IP65 PF≥0.95 CRI≥0.7	48	90*290*130
100W		96	180*290*130
150W		144	270*290*130
200W		192	365*290*130
250W		240	455*290*130
300W		288	270*570*130
400W		384	360*570*130
500W		480	453*570*130
800W		768	720*570*130
1000W		960	920*570*130




支架/Bracket 底座/Wall mounted base



PC透镜/PC lens 玻璃透镜/Glass lens

M6



型号\Model	M6-2	M6-3	M6-4
尺寸\Size	L220*W280*H125MM	L310*W280*H125MM	L400*W280*H125MM
光源\Light source	SMD 3030/5050	SMD 3030/5050	SMD 3030/5050
CRI\CRI	≥75Ra	≥75Ra	≥75Ra
光束角\Beam angle	70°+140°/120°	70°+140°/120°	70°+140°/120°
防水等级\Waterproof	IP65	IP65	IP65
色温\Color temperature	3000K/4000K/6000K 其他颜色可定制/Other colors can be customized		




M3-2



M3-3



M3-4



型号\Model	M3-2	M3-3	M3-4
尺寸\Size	L400*W400*H110MM	L400*W400*H110MM	L400*W400*H110MM
光源\Light source	SMD 3030 96pcs	SMD 3030 144pcs	SMD 3030 192pcs
光束角\Beam angle	70°+140°/120°	70°+140°/120°	70°+140°/120°
防水等级\Waterproof	IP65	IP65	IP65
色温\Color temperature	3000K/4000K/6000K 其他颜色可定制/Other colors can be customized		




100W



150W



200W



接线方法/Wiring method



型号\Model	GP-80/100W	GP-120W/150W	GP-200W
尺寸\Size	L390*390*57MM	L390*390*57MM	L390*390*57MM
光源\Light source	SMD 5050 48pcs	SMD 5050 56pcs	SMD 3030 72pcs
功率\Power	80/100W	120/150W	200W
电压\Voltage	AC 100-277V	AC 100-277V	AC 100-277V
防水等级\Waterproof	IP65	IP65	IP65




可选颜色/Color options



• 黑色/Black



• 灰色/Grey




• 接线方法/Wiring method



E1




E2



型号\Model	E1	E2
尺寸\Size	Φ285*H290MM	Φ257*H27MM
光源\Light source	SMD 3030	SMD 3030
功率\Power	80/100/150W	100/150/200W
电压\Voltage	AC 85-240V	AC 85-240V
防水等级\Waterproof	IP65	IP65
色温\Color temperature	3000K/4000K/6000K 其他颜色可定制/Other colors can be customized	



FL-1




型号\Model	FL-1
尺寸\Size	Φ260*175MM
光源\Light source	COB 1000W
功率\Power	1000W
发光角度\Emission Angle	110° 可调节/Adjustable at 110°
防水等级\Waterproof	IP65
色温\Color temperature	青光/绿光/红光/蓝光/白光/中性光/黄光等可定制 Cyan light,green light,red light,blue light,white light,neutral light,yellow light,etc. can be customized



SR-2S



SR-1S



型号\Model	SR-2S	SR-1S
尺寸\Size	L245*W185*H45MM	L200*W130*H45MM
光源\Light source	SMD 3030 25pcs	SMD 3030 12pcs
光伏板\Solar panel	5V/8W	5V/4W
电池\Battery	4.2V 12000/14000mAH	4.2V 6000/10000mAH
防水等级\Waterproof	IP68	IP68
色温\Color temperature	白光、红蓝爆闪/White light, red and blue flash	



ESP-B



ESP-C



ESP-D



型 号\Model	ESP-B	ESP-C	ESP-D
尺 寸\Size	L200*W105*H165MM	L285*W125*H185MM	L360*W205*H260MM
输出(交流电)\Output (AC)	220V/50HZ	220V/50HZ	220V/50HZ
电池容量\Battery Capacity	172WH/288WH	432WH/720WH	1075WH/1845WH
输入(太阳能)\Input (solar)	18V/60W	18V/100W	36V/200W
最大负载功率\Max load power	160W/300W	300W/500W	1200W/2000W